Health Outcomes in the Communities Surrounding the Inglewood Oil Field

Angelo J. Bellomo, REHS
Director of Environmental Health
County of Los Angeles Department of Public Health

April 25, 2011





Purpose Community Health Assessment

- Provide a snapshot of health outcomes in the Inglewood Oil Field communities from data collected by the County or the State
- 2. Conduct community survey to examine health concerns
 - Health conditions (asthma, respiratory illness)
 - Environmental factors (odors, noise)
 - Input from CAP health working group






Community Health Assessment - Five Components

- 1. Analysis of death rates & patterns
 County death certificates
- 2. Analysis of rates of low-birth-weight births
 County birth certificates
- 3. Analysis of rates of birth defects

 CA Birth Defects Monitoring Program
- 4. Analysis of cancer rates & patterns USC Cancer Registry
- 5. Planned community survey (Summer 2011)







Census Tracts Near the Inglewood Oil Field

Legend

////, stu

study area



1.5 mile buffer



selected census tracts


Estimated population:

PEPS 2007 = 152,035 Census 2000 = 146,461


Prepared by LA County Department of Public Health, Office of Health Assessment and Epidemiology, 12/2010

Race/Ethnicity of the Populations

Inglewood Oil Field Communities



Los Angeles County








Death Rates

From 2000-2007, the yearly death rate was:

731.9 per 100,000 persons in the Oil Field communities;

751.7 per 100,000 persons in LA County



Death Rates are Highest in BOTH the Oil Field Communities and LA County for These Conditions

African American	Asian/ Pacific Islander	Caucasian	Hispanic
All causes Colorectal cancer Coronary heart disease Diabetes HIV Homicide Motor vehicle crashes Pancreatic cancer Stroke		Emphysema/COPD	Liver disease





Differences in Death Rates Between the Oil Field Communities and LA County

Death Rates	African American	Asian/ Pacific Islander	Caucasian	Hispanic
Higher in Oil Field Communities	HIV		Pneumonia/ Influenza	
Lower in Oil Field Communities	Coronary heart disease Diabetes Emphysema/COPD Homicide Liver disease Lung cancer Stroke			






Rates of Low Birth Weight Babies

From 2000-2007, the yearly rate of low birth weight babies was:

- 7.2 per 100 live births in the Oil Field communities;
- 7.0 per 100 live births in LA County



Analysis of Birth Defects Registry

- California Birth Defects Monitoring Program analyzed all birth defects occurring 1990-2002
- No difference in rates for Oil Field communities and LA County for 28 of 29 categories of birth defects
- Babies born in the Oil Field communities between 1990-7 were 1.2 times as likely to be born with a limb defect as babies countywide

(Limb defects are not associated with exposure to petroleum products or benzene)

Analysis of Cancer Registry

- USC Cancer Surveillance Program analyzed
 5 blood-related cancers
 (Some blood-related cancers have been linked to petroleum products)
- Analysis by race/ethnicity to examine potential disparities
- Time period divided into 1972-1999 and 2000-2005 to explore most recent trends





Analysis of Cancer Registry

- No elevated rates of Acute Myelogenous Leukemia (AML) or 3 other types of blood-related cancers for any race/ethnic group
 - AML is the type of cancer linked to petroleum products (occupational studies)
- From 2000-2005, 2 cases above expected number for Chronic Myelogenous Leukemia (CML) in non-Hispanic Caucasians
 - No studies have found a conclusive link between CML and petroleum products
 - CML associated with high exposure to ionizing radiation, radiation therapy, or a large number of medical x-rays*





Community Health Survey

- Projected Launch Date: Mid-2011
 (Postponed to better evaluate effects of drilling based on feedback from residents)
- Approximately 1,000 adults living near the Oil Field will be interviewed by telephone
- Will provide a snapshot of current health conditions and quality of life concerns identified in the health working group
 - Health conditions (asthma, respiratory illness, etc.)
 - Odors, noise, traffic, etc.





Limitations to These Analyses

- Cannot confirm whether oil drilling activities are associated with these health outcomes
- Do not take into account important determinants of health such as:
 - Behavioral risk factors (smoking, physical activity, etc.)
 - Social factors (education, income, access to care, etc.)
 - Environmental exposures (traffic-related pollution, etc.)
- Cannot establish causal relationships between emissions and specific health outcomes





Resources

 Toxics Epidemiology Program http://www.lapublichealth.org/tox (213) 738-3220

 South Coast Air Quality Management District (SCAQMD)

http://www.aqmd.gov

